



U.S. Department
of Transportation

**Pipeline and Hazardous
Materials Safety Administration**

East Building, PHH-32
1200 New Jersey Avenue, Southeast
Washington, D.C. 20590

**The U.S. Department of Transportation
Competent Authority for the United States**

CLASSIFICATION OF EXPLOSIVES
(FIRST REVISION)

Based upon a request by Hop Kee Pyromagic Ltd., Unit D, 9th Floor, Dragon Industrial Building, 93 King Lam St., Cheung Sha Wan, Kowloon, Hong Kong the following items are classed in accordance with § 173.56, Title 49, Code of Federal Regulations. A copy of your application, all supporting documentation and a copy of this approval must be retained and made available to DOT upon request. This Competent Authority Approval only authorizes devices that comply with the APA 87-1 Standard, incorporated by reference per § 171.7(a)(3). For renewal, please refer to § 107.705(c). Each application for renewal must contain a certification by the applicant that the explosive device for which renewal is being requested is produced by the same manufacturer(s) and is identical to the originally approved device in size, construction, weight and chemical composition and continues to comply with the APA 87-1 Standard.

U.N. PROPER SHIPPING NAME AND NUMBER:

Fireworks, UN0336

U.N. CLASSIFICATION CODE: 1.4G

<u>REFERENCE NUMBER</u>	<u>PRODUCT DESIGNATION / PART NUMBER</u>
EX2011040978	HK360 – Fountain; 0831A Golden Flower (L); 0831A-BULK Golden Flower (L) - BULK; MX313 Golden Flower (L); MX313-BULK Golden Flower (L) - BULK; 0831 Golden Flower (M); 0831-BULK Golden Flower (M) - BULK; SF-360 Sm Bug Box; SF-361 Lg Bug Box

Notes: This approval as revised supersedes all previous versions.

DATED: 06/27/2011

For Dr. Magdy El-Sibaie
Associate Administrator for Hazardous Materials Safety